

**FABRIC SOFTENER SHEETS – 40 COUNT**  
**CODE; CS2440; UPC 610352012400**  
**Quick Identifier**

## Material Safety Data Sheet

EMERGENCY PHONE NUMBER: (816) 847-6905

---

### SECTION I - IDENTITY

---

COMMON NAME: Fabric Softener Sheets, 40 Count

CHEMICAL FAMILY: Fabric Softener Dryer Sheets

SYNONYMS: Consumer Fabric Softener Sheets

---

### SECTION II - HAZARDOUS INGREDIENTS

---

PRINCIPLE HAZARDOUS COMPONENTS                      %                      THRESHOLD LIMIT VALUE

None

SARA requires submission of annual report of release of toxic chemicals that appear in 40 CFR 372. This information must be included in all MSDS's that are copied and distributed for this material.

---

### SECTION III - COMPOSITION

---

Ingredients: Stearic Acid, Potassium Stearate, Neodol 25-9 and perfume.

CHEMICAL NAME	CAS #	ACGIH		OSHA	
		TLV	STEL	PEL	STEL
Stearic Acid	87-11-4	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Neodol 25-9	68131-39-5	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Potassium Stearate	593-29-3	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Yellowbird TLC 25033	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

---

### SECTION IV - PHYSICAL & CHEMICAL CHARACTERISTICS

---

BOILING POINT: Not Applicable

SPECIFIC GRAVITY (H2O=1): Not Applicable

VAPOR PRESSURE (mm Hg): NA

VAPOR DENSITY (AIR=1): Not Determined

EVAPORATION RATE (Water=1): Not Applicable

pH VALUE @ 21° C. (100%): Not Applicable

SOLUBILITY IN WATER: Completely Miscible

REACTIVITY IN WATER: None reactive

APPEARANCE AND ODOR: White, pleasant smell

---

### SECTION V - FIRE FIGHTING MEASURES

---

FLASH POINT (TCC): Not Applicable                      LEL: Not Applicable                      UEL: Not Applicable

EXTINGUISHING MEDIA: Use water spray, carbon dioxide, foam, dry chemical or halon

SPECIAL FIRE FIGHTING PROCEDURES: None.

UNUSUAL FIRE & EXPLOSION HAZARDS: None.



## **FABRIC SOFTENER SHEETS – 40 COUNT**

**CODE; CS2440; UPC 610352012400**

### **Quick Identifier**

VENTILLATION & ENGINEERING CONTROLS: Use with adequate ventilation

LOCAL EXHAUST: Not required under normal use.  
SPECIAL: None

MECHANICAL (General): Not required  
OTHER: None

PROTECTIVE GLOVES: Rubber gloves for prolonged contact

EYE PROTECTION: Safety glasses.

BODY PROTECTION: Not required.

#### **BY CONSUMER:**

VENTILLATION:

LOCAL EXHAUST: Not required under normal use.  
SPECIAL: None

MECHANICAL (General): Not required  
OTHER: None

PROTECTIVE GLOVES: Not required under normal use

EYE PROTECTION: Not required under normal use.

---

### **SECTION IX - SPECIAL PRECAUTION AND SPILL/LEAK PROCEDURES**

---

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store under normal household conditions.

OTHER PRECAUTIONS: Avoid overdosing. When drying small loads, add only ½ sheet. Fabric softener sheets are not for use on children's sleepwear or other garments labeled as flame resistant. It may reduce flame resistance. Keep out of the reach of children.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Disposal is to be performed in compliance with applicable laws.

WASTE DISPOSAL METHODS: Small (household) quantities may be disposed of via landfill. Disposal of larger quantities is to be performed in accordance with federal, state and local laws.

---

### **SECTION X – REGULATORY INFORMATION**

---

DOT HAZARDOUS CLASSIFICATION: This material is not hazardous as defined by 49 CFR 172.101 by the U.S. Department of Transportation

PROPER SHIPPING NAME: Not applicable

HAZARD CLASS NUMBER & NAME: Not applicable

US IDENTIFICATION NUMBER: Not applicable

PACKAGING GROUP: Not applicable

DOT LABEL(S) REQUIRED: Not applicable

EMERGENCY RESPONSE GUID NUMBER: Not applicable

MARINE POLLUTANT: Not applicable

CANADIAN TRASPROTATION OF DAGEROUS GOODS REGULATIONS: This material is not classified as a "Dangerous Goods".

---

### **SECTION IX - DATE AND SIGNATURE**

---

**FABRIC SOFTENER SHEETS – 40 COUNT**

**CODE; CS2440; UPC 610352012400**

**Quick Identifier**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials in any other process. The stated MSDS is reliable to the best of the company's knowledge and believed accurate as the date indicated. However, no representation, warranty or guarantee of any kind, expressed or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as the suitability and completeness of such information for his own particular use.

CUSTOM SOLUTIONS, INC.  
3330 S. Outer Road E.  
Grain Valley, MO 64029

Date Issued: 5 August 2003  
Supersedes: None-New

The submission of this MSDS may be required by law, but this is no assertion that the substance is hazardous when used in accordance with proper safety practices and normal procedures. Data supplied is for use only in connection with occupation safety and health.