

Power X Laundry Stain Remover

Item No. CS2624SP-CASE12

Quick Identifier

Material Safety Data Sheet

EMERGENCY PHONE NUMBER: (816) 847-6905

SECTION I - IDENTITY

COMMON NAME: Power X Laundry Stain Remover, Item No. CS2624-CASE12

CHEMICAL FAMILY: Laundry Aide

SYNONYMS: Not Applicable

SECTION II - HAZARDOUS INGREDIENTS

PRINCIPLE HAZARDOUS COMPONENTS	%	THRESHOLD LIMIT VALUE
--------------------------------	---	-----------------------

None

SARA requires submission of annual report of release of toxic chemicals that appear in 40 CFR 372. This information must be included in all MSDS's that are copied and distributed for this material.

SECTION III - PHYSICAL & CHEMICAL CHARACTERISTICS

BOILING POINT: 100° C. (212°F.)

SPECIFIC GRAVITY (H₂O=1): 1.00

VAPOR PRESSURE (mm Hg): 14

VAPOR DENSITY (AIR=1): > 5.8

EVAPORATION RATE (n-Butyl Acetate=1): Long

pH VALUE @ 25° C. (100%): 10.8

SOLUBILITY IN WATER: 100%

REACTIVITY IN WATER: Not reactive

PERCENT VOLATILE (% W): < 1%

APPEARANCE AND ODOR: A clear colorless low viscosity solution with characteristic citrus turpene odor.

SECTION IV - FIRE FIGHTING MEASURES

FLASH POINT (TCC): > 200° F./> 95° C. (TCC)

LEL: Not Applicable UEL: Not Applicable.

EXTINGUISHING MEDIA: NFPA Class B Extinguishers (CO₂ or Foam) for Class II liquid fires

SPECIAL FIRE FIGHTING PROCEDURES: Water spray may be ineffective on fire, but can protect fire fighters and cool closed containers. Use fog nozzles, if water is used. Use air -supplied breathing masks.

UNUSUAL FIRE & EXPLOSION HAZARDS: COMBUSTIBLE. Keep containers tightly closed. Closed containers may explode if exposed to extreme heat.

SECTION V - PHYSICAL HAZARDS

STABILITY: UNSTABLE
 STABLE

CONDITIONS TO AVOID: Isolate from oxidizers, heat, sparks, electrical equipment and open flames.

Power X Laundry Stain Remover

Item No. CS2624SP-CASE12

Quick Identifier

INCOMPATIBILIY (MATERIALS TO AVOID): None known.

HAZARDOUS DECOMPOSITION PRODUCTS: None under normal conditions. Amines, oxides of carbon, and nitrogen may form during burning.

HAZARDOUS MAY OCCUR CONDITONS TO AVOID: None known

POLYMERIZTION X WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

PRIMARY ROUTE(S) OF ENTRY: EYE: Yes, INHALATION: Yes , SKIN: Yes, INGESTION: Yes.
SYPTOMS OF ACUTE AND CHRONIC OVEREXPOSURE:

Inhalation: May be cause irritating if inhaled.

Eyes: Primary irritation. Liquid cause eye burns and blindness.

Skin: Primary irritation. May cause skin irritation.

Ingestion: Harmful or fatal if wallowed. May cause burns in mouth, throat, and stomach.

MEDICAL CONDITIONS GENERALLY AGRIVATED BY EXPOSURE: Not known

LIST AS CARCINOGEN NATIONAL Yes I.A.R.C. Yes OSHA Yes
OR POTENTIAL TOXICICOLGY No MONOGRAPHS No X NO
CARCINOGEN?

EMERGENCY AND FIRST AID PROCEDURES:

1. EYES: Immediately flush eyes with plenty of water for at least fifteen (15) minutes, while holding eyelids apart to ensure flushing of entire surface. Call a physician. Do not rub eyes.
2. SKIN: Remove contaminated clothing and shoes. Immediately flush skin with plenty of water for at least fifteen (15) minutes while removing contaminated clothing and shoes. Thoroughly clean clothing before reuse. Discard contaminated shoes and leather articles. Call a physician if irritation persists.
3. INGESTION: Get medical attention. Induce vomiting promptly according to physician's instructions by have patient stick finger down throat. Never give anything by mouth to an unconscious person. Give large quantities of water mixed with vinegar.
4. INHALATION: Remove patient to fresh air. Seek medical attention

SECTION VII- SPECIAL PROTECTION INFORMATION

VENTILLATION:

LOCAL EXHAUST: Not required under normal use.

MECHANICAL (General): Recommended, but not required

SPECIAL: None

OTHER: None

PROTECTIVE GLOVES: Recommended if prolonged product contact is likely.

EYE PROTECTION: Recommended if eye contact is. Likely.

SECTION VIII - SPECIAL PRECAUTION AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store under normal household conditions. Do not store near oxidizers, heat, sparks or open flames.

OTHER PRECAUTIONS: Keep out of the reach of children. Wash hands after use.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: For normal consumer spills: Use water spray to dilute and/or wash away to sanitary drain. For large spills: Eliminate all sources of ignition. Shut off source of leak only if safe to do so. Contain spill so that it does not get into streams or groundwater. Adsorb with absorbent or sand. For large spills wear a self-contained breathing device, chemically resistant gloves, clothing and boots.

Power X Laundry Stain Remover

Item No. CS2624SP-CASE12

Quick Identifier

WASTE DISPOSAL METHODS: Do not landfill. Small (household) quantities may be disposed of via sewer. Disposal of large spills is to be performed in accordance with federal, state and local laws.

SECTION IX - DATE AND SIGNATURE

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials in any other process. The stated MSDS is reliable to the best of the company's knowledge and believed accurate as the date indicated. However, no representation, warranty or guarantee of any kind, expressed or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as the suitability and completeness of such information for his own particular use.

CUSTOM SOLUTIONS, INC.
4120 NE Port Drive
Lee's Summit, MO. 64064

Revision Date: 25 April 2005
Supersedes: None-New Product

The submission of this MSDS may be required by law, but this is no assertion that the substance is hazardous when used in accordance with proper safety practices and normal procedures. Data supplied is for use only in connection with occupation safety and health.